RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
	Number : F-1
	Amendment
UTILITY NAME	Number : 7
SHIOCTON WATER UTILITY	

#### Public Fire-Protection Service

For public fire-protection service to the Village of Shiocton, the annual charge shall be \$23,005 to cover the use of mains and hydrants up to and including the terminal hydrant and connection on each main existing for the 1995 test year.

For all extensions of fire-protection service, a charge of 60¢ per lineal foot of main shall be charged per annum on the basis of the length of main put into use between hydrants placed, plus a charge of \$60 per net hydrant added to the system after the base period.

This service shall include the use of hydrants for fire-protection service only and such quantities of water as may be demanded for the purposes of extinguishing fires within the municipal boundary. This service shall also include water used for testing equipment and training personnel. For all other purposes, the metered or other rates set forth, or as may be filed with the Public Service Commission, shall apply.

The above base annual charge of \$23,005 includes an estimated 26,577 feet of transmission and distribution main, 4-inch and larger, and 63 hydrants.

The annual public fire-protection charge shall never be less than the base amount.

Number : 7
Amendment
Number : F-2
Schedule
Number :
Sheet
Number :
Section

Water used for extinguishing fires outside the immediate service area of the utility may consist of three types of service:

- 1. Water supplied to tank trucks from utility hydrants;
- Water supplied directly from hydrants located within the corporate limits, or on its borders, by means of hose lines; or,
- Water supplied to tank truck from any other utility water source.

A record of the measured or estimated volume of water used shall be submitted to the water utility after each use for fire protection outside the utility's immediate service area. If measuring or estimating is impossible, the water utility superintendent shall be furnished such data as size of orifice used, pressure and time water was permitted to flow, in order to determine volume used.

A charge for the volume of water used, for each fire either through a tank supply or from hydrants, will be billed to the township or fire department using water at \$2.22 per 1,000 gallons. A service charge, in addition to the water charge, shall be \$11.25 per hydrant used.

Applicable for Service Rendered on and after:

Date Order Issued
October 31, 1994

PSCW Authorization by Order No.:

5430-WR-101

November 11, 1994

RATE FILE	Section Number :
Public Service Commission of Wisconsin	Sheet Number :
	Schedule Number : Upf-1
UTILITY NAME	Amendment Number : 7
SHIOCTON WATER UTILITY	

Private Fire-Protection Service - Unmetered

This service shall consist of unmetered connections to the main for automatic sprinkler systems, standpipes, (where same are connected permanently or continuously to the mains) and private hydrants.

Quarterly Demand Charges for Private Fire-Protection Service:

Size of Connection	Charge
2-inch	\$ 12.00
3-inch	\$ 21.00
4-inch	\$ 33.00
6-inch	\$ 66.00
8-inch	\$ 99.00
10-inch	\$150.00

Billing: Same provisions as for general service.

#### Credit For Combined Service:

A credit will be given where private fire-protection lines are connected to utility water mains with 4-inch or larger diameter connections and where the lines also supply metered general service. (No credit will be given where connections are less than 4-inches in diameter.) The general service will be billed at the regular metered rates, Schedule Mg-1. The demand charge for private fire protection shall be (X-.30Y). "X" equals the unmetered private fire-protection quarterly demand charge applicable to the size of connection, and "Y" is the quarterly service charge for metered general service.

The fire demand charge minus the credit shall never be less than \$21.00.

Applicable for Service Rendered on	and after: Date Order Issued
December 20, 1994	October 31, 1994
PSCW Authorization by Order No.:	Letter Date
5430-WR-101	November 11, 1994

# RATE FILE Public Service Commission of Wisconsin Sheet Number: Schedule Number: Mg-1 Amendment UTILITY NAME Section Number: Sheet Number: 7

SHIOCTON WATER UTILITY

#### General Service - Metered

#### Quarterly Service Charge:

#### Plus Volume Charge:

First 30,000 gallons used each quarter - \$2.22 per 1,000 gallons Next 170,000 gallons used each quarter - \$1.65 per 1,000 gallons Over 200,000 gallons used each quarter - \$1.40 per 1,000 gallons

Billing: Bills for water service are rendered quarterly and become due and payable upon issuance following the period for which service is rendered. A late payment charge of 3 percent but not less than 30 cents will be added to bills not paid within 20 days of issuance. This ONE-TIME 3 percent late payment charge will be applied only to any unpaid balance for the current billing period's usage. This late payment charge is applicable to all customers. The utility customer may be given a written notice that the bill is overdue no sooner than 20 days after the bill is issued and unless payment or satisfactory arrangement for payment is made within the next eight days, service may be disconnected pursuant to Chapter PSC 185, Wis. Adm. Code.

Combined Metering: Volumetric meter readings will be combined for billing if the utility for its own convenience places more than one meter on a single water service lateral. Multiple meters placed for the purpose of identifying water not discharged into the sanitary sewer are not considered for utility convenience and shall not be combined for billing. Meter readings from individually metered separate service laterals shall not be combined for billing purposes.

Applicable for Service Rendered on an	nd after: Date Order Issued
December 20, 1994	October 31, 1994
PSCW Authorization by Order No.:	Letter Date
5430-WR-101	November 11, 1994

RATE FILE		Section
Dublic Commission	wii	Number :
Public Service Commissio	n of wisconsin	Sheet
	•	Number :
		Schedule
		Number : Mg-1.1
		Amendment
UTILITY NAME		Number : 7
SHIOCTON WATER UTILITY		
General Service - Metered		

Buildings used in the same business, located on the same parcel and served by a single lateral may have the customer's water supply

piping installed to a central point so that volume can be metered in one place.

General Service - Su	burban
SHIOCTON WATER UTILITY	
UTILITY NAME	Number : 7
	Amendment
	Number : Mg-2
	Schedule
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
RATE FILE	Section

Water customers residing outside the corporate limits of the Village of Shiocton shall be billed at the regular rates for service (Schedule Mg-1) plus a 25 percent surcharge.

RATE FILE	Section
Public Service Commission of Wisconsin	Number : Sheet
	Number :
	Schedule
UTILITY NAME	Number : Mpa-1
	Amendment
SHIOCTON WATER UTILITY	Number : 7

#### Public Service

Water service supplied to municipal buildings, schools, etc., shall be metered and the regular metered service rates applied.

Water used on an intermittent basis for flushing sewers, street sprinkling, flooding skating rinks, drinking fountains, etc., shall be metered where meters can be set to measure the service. Where it is impossible to measure the service, the superintendent shall estimate the volume of water used based on the pressure, size of opening and period of time water is allowed to be drawn. The estimated quantity used shall be billed at the rate of \$1.65 per 1,000 gallons.

RATE FILE	Section Number :
Public Service Commission of Wisconsin	Sheet Number :
	Schedule Number : Ug-1
	Amendment
UTILITY NAME	Number : 7
SHIOCTON WATER UTILITY	

General Water Service - Unmetered

Where the utility cannot immediately install its water meter, service may be supplied temporarily on an unmetered basis. Such service shall be billed at the rate of \$16.67 per billing period. This rate shall be applied only to single-family residential and small commercial customers and approximates the cost of 540 cubic feet of water per billing period under Schedule Mg-1. If it is determined by the utility that usage is in excess of 540 cubic feet per billing period, an additional charge per Schedule Mg-1 will be made for the estimated additional usage.

Billing: Same as Schedule Mg-1.

	Seasonal, Eme	rgency or Tempora	ry Service
SHIOCTON WATER	UTILITY		
UTILITY NAME			Number : 7
			Amendment
			Number : Mgt-1
			Schedule
			Number :
Public Service	Commission of	Wisconsin	Sheet
			Number :
RATE FILE			Section

Seasonal customers\* shall be served at the general service rate (Schedule Mg-1) except that each customer served under this rate shall pay an annual seasonal service charge equal to four times the applicable service charge. Water use in any billing period shall be billed at the applicable volume schedule in Mg-1 and the charge added to the annual seasonal service charge.

Further, if service has been disconnected, a charge under Schedule R-1 is applied at the time of reconnection.

\*Seasonal customers are general service customers whose use of water is normally for recurring periods of less than a year.

Applicable for Service Rendered on and after:

Date Order Issued
October 31, 1994

PSCW Authorization by Order No.:

Letter Date
5430-WR-101

November 11, 1994

RATE FILE	Section Number :
Public Service Commission of Wisconsin	Sheet Number : Schedule Number : Mz-1
UTILITY NAME SHIOCTON WATER UTILITY	Amendment Number : 7
Building and Construction	Water Service

For single-family and small commercial buildings apply the unmetered rate, Schedule Ug-1.

For large commercial, industrial or multiple apartment buildings, a temporary metered installation shall be made and general, metered rates (Schedule Mg-1) applied.

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
	Number : B-1
	Amendment
UTILITY NAME	Number : 7
SHIOCTON WATER UTILITY	

Bulk Water

All bulk water supplied to fill tank trucks or swimming pools from the water system through hydrants or other connections shall be metered. Utility personnel shall supervise the delivery of the water.

Service charge - \$11.25 Plus volume charge - \$ 2.22 per 1,000 gallons

# RATE FILE Public Service Commission of Wisconsin

Section
Number:
Sheet
Number:
Schedule
Number: Am-1
Amendment
Number: 7

UTILITY NAME

SHIOCTON WATER UTILITY

# Additional Meter Rental Charge

If a customer requests the installation of an additional meter to receive credit for clear water not discharged into the sanitary sewer system, or if a sewerage service customer who is not a customer of the water utility requests the installation of a meter to determine the volume of sewage discharged into the sanitary sewer system, the utility shall furnish and install this additional meter. This rate shall be applied only to single-family residential and small commercial customers. A rental fee shall be charged for the use of this meter and the following rates shall apply. Billing period same as in Schedule Mg-1.

5/8-inch meter - \$ 5.00 per billing period 3/4-inch meter - \$ 5.00 per billing period 1-inch meter - \$ 7.00 per billing period 1\frac{1}{2}-inch meter - \$12.00 per billing period 1\frac{1}{2}-inch meter - \$15.00 per billing period

Initial Meter Installation Charge - \$25.00

Applicable for Service Rendered on and after:

Date Order Issued
October 31, 1994

PSCW Authorization by Order No.:

Letter Date
5430-WR-101

November 11, 1994

RATE FILE	Section
Public Service Commission of Wisconsin	Number : Sheet Number :
	Schedule Number : Mr-1
UTILITY NAME	Amendment Number : 7
SHIOCTON WATER UTILITY	

Remote Reading Register Meter Attachment

A remote register meter attachment will be installed upon request of a customer for such installation. Where the register is to be attached to the outside of the building in which the meter is located, the customer will be charged for each meter attachment at the rate set forth below.

Should the utility change its entire system to remote register meters subsequent to installation of a remote register for which a charge was made, the amount paid, less \$1 for each year of service exclusive of any charge for excess wire installation, will be refunded to the then owner of the premises.

Rate: Each remote register - \$25.00

RATE FILE

Public Service Commission of Wisconsin

Sheet

Number:
Schedule
Number: R-1
Amendment
UTILITY NAME

Section
Number:
Number:
Number: 7

SHIOCTON WATER UTILITY

#### Reconnection Charges

During Normal Business Hours

Reinstallation of meter, including valving at curb stop \$25.00 \$32.00

Valve turned on at curb stop \$10.00 \$15.00

Note: No charge for disconnection.

RATE FILE	Section Number :
Public Service Commission of Wisconsin	Sheet Number :
	Schedule Number : Cz-1
UTILITY NAME	Amendment Number : 7
SHIOCTON WATER UTILITY	
Water Lateral Installation	Charge

Subdivision developers shall be responsible, where the main extension has been approved by the utility, for the water service lateral installation costs from the main through the curb stop and box.

When the cost of a utility main extension is to be collected through assessment by the municipality, the actual average water lateral installation costs from the main through the curb stop and box shall be included in the assessment of the appropriate properties.

The initial water lateral(s), not installed as part of a subdivision development or an assessable utility extension, will be installed from the main through the curb stop and box by the utility, for which there will be made a charge as follows:

3/4-inch or 1-inch copper water service
Larger sized services

\$1,100.00 Actual Cost

Applicable for Service Rendered on and after:	Date Order Issued
December 20, 1994 .	October 31, 1994
PSCW Authorization by Order No.:	Letter Date
5430-WR-101	November 11, 1994

RATE FILE	Section
RAIL FILE	Number :
Public Service Commission of Wisconsin	Sheet Number :
	Schedule Number : D-1
UTILITY NAME	Amendment Number : 7
SHIOCTON WATER UTILITY	

Temporary Metered Supply, Meter and Deposits

Service charge for setting the valve and furnishing and setting the meter

\$25.00

Deposit for valve and meter

\$25.00

Water usage shall be billed at scheduled rates.

Refunds of deposits will be made upon return of the utility equipment. Damaged or lost equipment will be repaired or replaced at customer expense.

RATE FILE

Public Service Commission of Wisconsin

Section Number :

Sheet

Number : Schedule

Number : H-1

Amendment Number : 7

UTILITY NAME

SHIOCTON WATER UTILITY

Hydrant Charges

In cases where no other supply is available, hydrants may be used (see Rule X-1.2). The following charges shall apply.

Service charge for setting or moving

sprinkler valve - \$25.00

Hydrant wrench deposit - \$25.00

Reducer (if necessary) deposit - \$25.00

In addition, the projected water usage shall be paid for in advance at the scheduled rates. The minimum charge for water usage shall be \$10.

Refunds of deposits will be made upon return of the utility equipment. Damaged or lost equipment will be repaired or replaced at customer expense.

Applicable for Service Rendered on and after: December 20, 1994 Date Order Issued October 31, 1994

PSCW Authorization by Order No.:

Letter Date

5430-WR-101

November 11, 1994

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
UTILITY NAME	Number : X-1
	Amendment
	Number: 6
SHIOCTON MUNICIPAL UTILITY	
Water Utility Operating Rules	

#### Compliance with Rules

All persons now receiving a water supply from the Shiocton Water Utility, or who may hereafter make application therefor, shall be considered as having agreed to be bound by the rules and regulations as filed with the Public Service Commission of Wisconsin.

#### Establishment of Service

Application for water service shall be made in writing on a form furnished by the water utility. The application will contain the legal description of the property to be served, name of the owner, the exact use to be made of the service, and the size of the supply pipe and meter desired. (Note particularly any special refrigeration and/or air-conditioning water consuming appliances.)

Service will be furnished only if (1) premises have a frontage on a properly platted street or public strip in which a cast iron or other long-life water main has been laid, or where property owner has agreed to and complied with the provisions of the utility's filed main extension rule, (2) property owner has installed or agrees to install a service pipe from the curb line to the point of use, and laid not less than 6 feet below the surface of an established or proposed grade, and according to utility's specification, and (3) premises have adequate piping beyond metering point.

The owner of a multi-unit dwelling has the option of being served by individual metered water service to each unit. The owner, by selecting this option, is required to provide interior plumbing and meter settings to enable individual metered service to each unit and individual disconnection without affecting service to other units. Each meter and meter connection will be a separate water utility customer for the purpose of the filed rules and regulations.

No division of the water service of any lot or parcel of land shall be made for the extension and independent meterage of the supply to an adjoining lot or parcel of land. No division of a water supply service shall be made at the curb for separate supplies therefrom for two or more separate premises having frontage on any street or public service strip whether owned by the same or different parties.

PSCW Authorization by Order No.:	Date Order Issued	
5430-WR-100	11-22-88	
Applicable for Service Rendered on and after:	DEC'T 6 1989	
December 20, 1988	DEC 1 0 1988	

RATE FILE	Section
DANIA Garatas Garatas Las activities at	Number :
Public Service Commission of Wisconsin	Sheet
	Number : Schedule
THE THE ADDRESS OF THE PARTY AND ADDRESS OF TH	
UTILITY NAME	Number : X-1.1
	Amendment
	Number : 6
SHIOCTON MUNICIPAL UTILITY	

# Water Utility Operating Rules (continued)

The utility is hereby empowered to withhold approval of any application wherein full information of the purpose of such supply is not clearly indicated and set forth by the applicant property owner.

#### Service Contract

The minimum service contract period shall be <u>one year</u> unless otherwise specified by special contract or in the applicable rate schedule. Where the utility has disconnected service at the customer's request prior to expiration of the minimum contract period, a reconnection charge shall be made, payable in advance, when the customer requests reconnection of service. See Schedule R-1 for applicable rate. The minimum contract period is renewed with each reconnection.

A reconnection charge shall also be required from consumers whose services are disconnected (shut off at curb stop) because of nonpayment of bills when due, (not including disconnection for failure to comply with deposit or guarantee rules). See Schedule R-1 for applicable rate.

A consumer shall be considered as the same consumer provided the reconnection is requested for the same location by any member of the same family, or if a place of business, by any partner or employee of the same business.

#### Temporary Metered Supply, Meter and Deposits

An applicant for temporary water supply on a metered basis shall make and maintain a monetary deposit for each meter installed, as security for payment for use of water and for such other charges which may arise from the use of the supply. A charge shall be made for setting the valve and furnishing and setting the meter. See Schedule D-1 for applicable rate.

#### Water for Construction

When water is requested for construction purposes, or for filling tanks or other such uses, an application therefor shall be made to the utility, in writing, upon application provided for that purpose in the utility's office, giving a statement of the amount of construction work to be done, or the size of the tank to be filled, etc. Payment for the water for construction shall be made in advance at

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	DEC 1 6 1988
December 20, 1988	DEC 1 6 1988

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
UTILITY NAME	Number : X-1.2
	Amendment
	Number : 6
SHIOCTON MUNICIPAL UTILITY	
Material Material Commentation Professional	- /

Water Utility Operating Rules (continued)

the scheduled rates. The service pipe must be installed inside the building from where the water must be drawn. No connection with the service pipe at the curb shall be made without special permission from the utility.

In no case, will any employee of the utility turn on water for construction work unless the contractor first presents a permit. Upon completion of the construction work, the contractor must return the original permit to the utility together with a statement of the actual amount of construction work performed.

Consumers shall not allow contractors, masons or other persons to take water from their premises without first showing a permit from the department. Any consumer failing to comply with this provision will have water service discontinued.

#### Use of Hydrants

In cases where no other supply is available, permission may be granted by the utility to use a hydrant. No hydrant shall be used until it is equipped with a sprinkling valve. In no case, shall any valve be installed or moved except by a member of the utility.

Before a valve is set, payment must be made for its setting and for the water to be used at the scheduled rates. See Schedule H-1 for applicable deposits and charges. Upon completing use of the hydrant, the customer must notify the utility to that effect.

In the use of a hydrant supply, the hydrant valve will be set at the proper opening by the utility when the sprinkling valve is set, and the flow of water must be regulated by means of the sprinkling valve. If the water is to be used through iron pipe connections, all such pipe installations shall have the swing joint to facilitate guick disconnection from the fire hydrant.

#### Operation of Valves and Hydrants, and Unauthorized Use of Water - Penalty

Any person who shall, without authority of the utility, allow contractors, masons or other unauthorized persons to take water from their premises, operate any valve connected with the street or supply mains, or open any fire hydrant connected with the distribution system, except for the purpose of extinguishing fire, or who

Date Order Issued
11-22-88
Letter Date
DFC 1 6 1088

RATE FILE	Section	
Public Service Commission of Wisconsin	Number : Sheet Number :	
UTILITY NAME	Schedule Number : X	K-1.3
SHIOCION MUNICIPAL UTILITY	Number : 6	5
Water Utility Operating Rules (continued)		

Operation of Valves and Hydrants, and Unauthorized Use of Water - Penalty (Cont'd.)

shall wantonly damage or impair the same shall be subject to a fine as provided by municipal ordinance. Permits for the use of hydrants apply only to such hydrants as are designated for the specific use.

### Refunds of Monetary Deposits

All monies deposited as security for payment of charges arising from the use of temporary water supply on a metered basis, or for the return of a sprinkling valve wheel or reducer, if the water is used on an unmetered basis, will be refunded to the depositor on the termination of the use of water, the payment of all charges levied against the depositor, and the return of the wheel and reducer.

#### Service Connections (or Water Laterals)

No water service shall be laid through any trench having cinders, rubbish, rock or gravel fill, or any other material which may cause injury to or disintegration of the service pipe, unless adequate means of protection are provided by sand filling or such other insulation as may be approved by the utility. Service pipes passing through curb or retaining walls shall be adequately safeguarded by provision of a channel space or pipe casing, not less than twice the diameter of the service connection. The space between the service pipe and channel or pipe casing shall be filled and lightly caulked with an oakum, mastic cement or other resilient material, and made impervious to moisture.

In backfilling the pipe trench, the service pipe must be protected against injury by carefully hand tamping the ground filling, free from hard lumps, rocks, stones or other injurious material, around and at least six (6) inches over the pipe.

All water supplies shall be of undiminished size from the street main into the point of meter placement. Beyond the meter outlet valve, the piping shall be sized and proportioned to provide, on all floors, at all times, an equitable distribution of water supply for the greatest probable number of fixtures or appliances operating simultaneously.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
UTILITY NAME	Number : X-1.4
	Amendment
	Number : 6
SHIOCTON MUNICIPAL UTILITY	

Water Utility Operating Rules (continued)

# Replacement and Repair of Service Pipe

Where the property owner requests that a larger service lateral be installed to replace an existing smaller diameter pipe, an allowance of \$15 will be made as a deduction in the cost, providing the new service is to be installed in the same ditch as the existing service pipe.

The service pipe from the main, to and through the curb stop, will be maintained and kept in repair and when worn out, replaced at the expense of the utility. The property owner shall maintain the service pipe from the curb stop to the point of use.

If a consumer fails to repair a leaking or broken service pipe from curb to point of metering or use within such time as may appear reasonable to the utility after notification has been served on the consumer by the utility, the water will be shut off and will not be turned on again until the repairs have been completed.

#### Charges for Water Wasted Due to Leaks

See Wis. Adm. Code, Chapter PSC 185.35(6).

#### Thawing Frozen Services

See Wis. Adm. Code, Chapter PSC 185.89.

### Stop Boxes

The consumer shall protect the stop box in the terrace and shall keep the same free from dirt and other obstructions. The utility shall not be liable for failure to locate stop box and shut off the water in case of a leak on the consumer's premises.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	DEC 6 1988
December 20, 1988	DEC 1 0 1300

RATE FILE	Section
Public Service Commission of Wisconsin	Number : Sheet
Public Service Commission of Wisconsin	Number :
	Schedule
UTILITY NAME	Number : X-1.5
	Amendment
	Number : 6
SHIOCTON MUNICIPAL UTILITY	
Water Utility Operating Rules (	continued)

#### Installation of Meters

Meters will be furnished and placed by the utility and are not to be disconnected or tampered with by the consumer. All meters shall be so located that they shall be protected from obstructions and permit ready access thereto for reading, inspection and servicing, such location to be designated or approved by the utility. All piping within the building must be supplied by the consumer. Where additional meters are desired by the consumer, the consumer shall pay for all piping and an additional amount sufficient to cover the cost of maintenance and depreciation. See Schedule Am-1 for applicable rate.

# Repairs to Meters

Meters will be repaired by the utility and the cost of such repairs caused by ordinary wear and tear will be borne by the utility.

Repair of any damage to a meter resulting from the carelessness of the owner of the premises, owner's agent, or tenant, or from the negligence of any one of them to properly secure and protect same, including any damage that may result from allowing a water meter to become frozen or to be injured from the presence of hot water or steam in the meter, shall be paid for by the consumer or the owner of the premises.

#### Service Piping for Meter Settings

Where the original service piping is installed for a new metered customer, where existing service piping is changed for the customer's convenience, or where a new meter is installed for an existing flat rate customer, the customer at his/her expense shall provide a suitable location and the proper connections for the meter. The water utility should be consulted as to the type and size of meter setting. Where it is possible to set meters in the basement, or other suitable place within the building, a short nipple shall be inserted after the stop and waste cock, then a union, and then another nipple and coupling of the proper length. The nipple attached to the union and coupling shall be cut to a standard length provided by the plans of the utility (the superintendent may require a horizontal run of 18 inches in such pipe line) which may later be removed for the insertion of the meter into the supply line.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988

RATE FILE	Section	
Public Service Commission of Wisconsin	Number : Sheet Number :	
UTILITY NAME	Schedule Number : X-1.6 Amendment	
SHIOCION MUNICIPAL UTILITY	Number : 6	
Water Utility Operating Rules (continued)		

### Service Piping for Meter Settings (Continued)

No permit will be given to change from metered to flat rate service.

#### Turning on Water

The water cannot be turned on for a consumer except by a duly authorized employee of the utility. The plumber must leave the water turned off after completing the job. This does not prevent the plumber from testing the work.

### Failure to Read Meters

Where the utility is unable to read a meter after two successive attempts, the fact will be plainly indicated on the bill, and either an estimated bill will be computed, or the minimum charge applied. The difference shall be adjusted when the meter is again read, that is, the bill for the succeeding quarter will be computed with the gallons or cubic feet in each block of the rate schedule doubled and credit will be given on that bill for the amount of the minimum bill paid the preceding month. Only in unusual cases or where approval is obtained from the customer shall more than two consecutive estimated bills be rendered.

If the meter is damaged (see Surreptitious Use of Water) or fails to operate, the bill will be based on the average use during the past year unless there is some reason why the use is not normal. If the average use cannot be properly employed, the bill will be estimated by some equitable method.

#### Complaint Meter Tests

See Wis. Adm. Code, Chapter PSC 185.77.

PSCW Authorization by Order No.:	Date Order Issued
5430~WR~100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988

RATE FILE	Section
Public Service Commission of Wisconsin	Number : Sheet
Public Service Commission of Wisconsin	Number :
	Schedule
UTILITY NAME	Number : X-1.7
	Amendment
	Number: 6
SHIOCION MUNICIPAL UTILITY	
Water Utility Operating Rules (continued)	
operating the second se	,

#### Inspection of Premises

During reasonable hours, any officer or authorized employee of the utility shall have the right of access to the premises supplied with service, for the purpose of inspection or for the enforcement of the utility's rules and regulations. At least once every 12 months, the utility will make a systematic inspection of all unmetered water taps for the purpose of checking waste and unnecessary use of water.

#### CUSTOMER'S DEPOSITS

#### New Residential Service

The utility may require a cash deposit or other guarantee as a condition of new residential service if, and only if, the customer has an outstanding account balance with the utility which accrued within the last six years and which, at the time of the request for new service, remains outstanding and not in dispute.

#### Existing Residential Service

The utility may require a cash deposit or other guarantee as a condition of continued service if, and only if, either or both the following circumstances apply:

- 1. Service has been shut off or discontinued within the last 12 months for violation of these rules and regulations or for nonpayment of a delinquent bill for service which is not in dispute.
- 2. Credit information obtained by the utility subsequent to the initial application indicates that the initial application for service was falsified or incomplete to the extent that a deposit would be required under these rules and regulations.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date DEC 1 6 1988
December 20, 1988	DEC 1 0 1988

RATE FILE	Section
Public Service Commission of Wisconsin	Number : Sheet
- 45-45 55-7-45	Number :
UTILITY NAME	Schedule Number : X-1.8
	Amendment
SHIOCTON MUNICIPAL UTILITY	Number : 6
Water Utility Operating Rules (continued)	

#### Commercial and Industrial Service

If the credit for an applicant for commercial or industrial service has not been established to the satisfaction of the utility, the applicant may be required to make a deposit or otherwise guarantee to the utility payment of bills for service.

#### Conditions of Deposit

See Wis. Adm. Code, Chapter PSC 185.36(4).

#### Refund of Deposits

The utility shall review the payment record of each residential customer with a deposit on file at not less than 12-month intervals and shall not require or continue to require a deposit unless a deposit could be required under the conditions stated above. In the case of a commercial or industrial customer, the utility shall refund the deposit after 24 consecutive months of prompt payment if the customer's credit standing is satisfactory to the utility. Payment shall be considered "prompt" if it is made prior to notice of disconnection for nonpayment of a bill not in dispute. Any deposit or portion thereof refunded to a customer shall be refunded by check unless both the customer and the utility agree to credit the regular bill, or unless service is terminated, in which case, the deposit with accrued interest shall be applied to the final bill and any balance returned to the customer promptly.

#### Other Conditions

A new or additional deposit may be required upon reasonable written notice of the need therefor if such new or additional deposit could have been required under the circumstances when the initial deposit was made. Service may be refused or disconnected for failure to pay a deposit request as provided in the rules. When service has been disconnected for failure to make a deposit, or for failure to pay a delinquent bill, or for failure to comply with the terms of a Deferred Payment Agreement, and satisfactory arrangements have been made to have service restored, a reconnection charge as specified elsewhere in these rules, shall be paid by the customer as a condition to restoration of service.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	DEC 1 6 1988
December 20, 1988	DEC 1 6 1988

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
UTILITY NAME	Number : X-1.9
	Amendment
	Number: 6
SHIOCTON MUNICIPAL UTILITY	
Water Utility Operating Rules (continued)	

#### Guarantee Contracts

The utility may accept, in lieu of a cash deposit, a contract signed by a guarantor satisfactory to the utility, whereby payment of a specified sum not exceeding the cash deposit requirement is guaranteed. The term of a guarantee contract shall be two years, but shall automatically terminate after the customer has closed his/her account, or at the guarantor's request upon 30 days written notice to the utility.

Upon termination of a guarantee contract or whenever the utility deems same insufficient as to amount or surety, a cash deposit or a new or additional guarantee may be required upon reasonable written notice to the customer. Service to any customer who fails to comply with these requirements may be refused, or upon 8 days written notice, disconnected.

The utility shall mail the guarantor copies of all disconnect notices sent to the customer whose account he has guaranteed unless the guarantor waives such notice in writing.

In lieu of a cash deposit or guarantee, an applicant for new service who has an outstanding account accrued within the last 6 years with the utility, shall have the right to receive service from the utility under a Deferred Payment Agreement as provided in these rules and regulations for the outstanding account balance.

#### DISCONNECTION AND REFUSAL OF SERVICE

#### Reasons for Disconnection

Service may be disconnected or refused for any of the following reasons:

- 1. Failure to pay a delinquent account or failure to comply with the terms of a Deferred Payment Agreement.
- 2. Violation of the utility's rules and regulations pertaining to the use of service in a manner which interferes with the service of others or to the operation of nonstandard equipment, if the customer has first been notified and provided with reasonable opportunity to remedy the situation.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
UTILITY NAME	Number : X-1.10
	Amendment
	Number: 6
SHIOCTON MUNICIPAL UTILITY	
Water Utility Operating Rules (contin	nued)

# Reasons for Disconnection (Continued)

- 3. Failure to comply with deposit or guarantee arrangements as provided for in these rules and regulations.
- 4. Diversion of service around the meter.

#### Disconnection for Delinquent Accounts

A bill for service is delinquent if unpaid after the due date shown on the bill. The utility may disconnect service for a delinquent bill by giving the customer, at least 8 calendar days prior to disconnection, a written disconnect notice which may be included with the bill for service. For purposes of this rule, the due date shall not be less than 20 days after issuance.

The utility may disconnect without notice where a dangerous condition exists for as long as the condition exists. Service may be denied to any customer for failure to comply with the applicable requirements of the rules and regulations of the Public Service Commission or of these rules and regulations, or if a dangerous or unsafe condition exists on the customer's premises.

The utility shall notify the appropriate county Department of Health and Social Services at least five calendar days prior to any scheduled disconnection of residential service, if the customer or responsible person has made a written request for this procedure. The utility shall apprise customers of this right upon application for service. If service to a residential customer which has been disconnected has not been restored within 24 hours after disconnection, the utility shall notify the appropriate Sheriff's Department of the billing name and service address and that a threat to health and life might exist to persons occupying the premises.

#### Deferred Payment Agreement

The utility shall offer Deferred Payment Agreements to residential customers. The Deferred Payment Agreement shall provide that service will not be discontinued for the outstanding bill if the customer pays a stated reasonable amount of the

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
UTILITY NAME	Number : X-1.11
	Amendment
	Number : 6
SHIOCION MUNICIPAL UTILITY	
Water Utility Operating Rules (c	continued)

#### Deferred Payment Agreement (Continued)

outstanding bill and agrees to pay a stated reasonable portion of the remaining outstanding balance in installments until the bill is paid. In determining what amounts are "reasonable", the parties shall consider the:

- 1. Size of the delinquent account.
- 2. Customer's ability to pay.
- 3. Customer's payment history.
- 4. Time that the debt has been outstanding.
- 5. Reasons why the debt has been outstanding.
- 6. Any other relevant factors concerning the circumstances of the customer.

In the Deferred Payment Agreement, it shall state immediately preceding the space provided for the customer's signature and in bold face print at least two sizes larger than any other used thereon, the following:

IF YOU ARE NOT SATISFIED WITH THIS AGREEMENT, DO NOT SIGN. IF YOU DO SIGN THIS AGREEMENT YOU GIVE UP YOUR RIGHT TO DISPUTE THE AMOUNT DUE UNDER THE AGREEMENT EXCEPT FOR THE UTILITY'S FAILURE OR REFUSAL TO FOLLOW THE TERMS OF THIS AGREEMENT.

A Deferred Payment Agreement shall not include a finance charge.

If an applicant for service has not fulfilled the terms of a Deferred Payment Agreement, the utility shall have the right to disconnect service or refuse service in accordance with these rules and under such circumstances, it shall not be required to offer subsequent negotiation of a Deferred Payment Agreement prior to disconnection.

Any payments made by the customer in compliance with a Deferred Payment Agreement, or otherwise, shall be first considered made in payment of the previous account balance with any remainder credited to the current bill.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	DEC 1 6 1988
December 20, 1988	DEC 1 6 1988

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
UTILITY NAME	Number : X-1.12
	Amendment
	Number: 6
SHIOCION MUNICIPAL UTILITY	
Water Utility Operating Rules (d	continued)

#### Dispute Procedures

Whenever the customer advises the utility's designated office prior to the disconnection of service that all or part of any billing as rendered is in dispute, or that any matter related to the disconnection is in dispute, the utility shall investigate the dispute promptly and completely, advise the customer of the results of the investigation, attempt to resolve the dispute, and provide the opportunity for the customer to enter into a Deferred Payment Agreement, when applicable, in order to settle the dispute.

After the customer has pursued the available remedies with the utility, the customer may request that the Public Service Commission's staff informally review the disputed issue and recommend terms of settlement.

Any party to the dispute after informal review, may make a written request for a formal review by the commission. If the commission decides to conduct a formal hearing on the dispute, the customer must pay 50% of the bill in dispute or post a bond for that amount on or before the hearing date. Failure to pay the amount or post the bond will constitute a waiver of the right to a hearing. Service shall not be disconnected because of any disputed matter while the disputed matter is being pursued under the disputes procedure. In no way does this relieve the customer from the obligation of paying charges which are not disputed.

The form of disconnection notice to be used.

#### DISCONNECTION NOTICE

#### Dear Customer:

The bill enclosed with this notice includes your current charge for utility service and your previous unpaid balance.

You have 8 days to pay the utility service arrears or your service is subject to disconnection.

If you fail to pay the service arrears, or fail to contact us within the 8 days allowed to make reasonable time payment arrangements, we will proceed with disconnection action.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
UTILITY NAME	Number : X-1.13
	Amendment
	Number : 6
SHIOCTON MUNICIPAL UTILITY	
Water Utility Operating Rules (co	ontinued)

#### Disconnection Notice (Continued)

To avoid the inconvenience of service interruption and an additional charge of (amount) reconnection, we urge you to pay the full arrears IMMEDIATELY AT ONE OF OUR OFFICES.

If you have entered into a Deferred Payment Agreement with us and have failed to make the time payments you agreed to, your service will be subject to disconnection unless you pay the amount due within 8 days.

If you have a reason for delaying the payment, call us and explain the situation.

PLEASE CALL THIS TELEPHONE NUMBER, (Appropriate telephone number), IMMEDIATELY IF:

- 1. You have a question about your utility service arrears.
- 2. You are unable to pay the full amount of the bill and are willing to enter into a time payment agreement with us.
- 3. There are any circumstances you think should be taken into consideration before service is discontinued.
- 4. Any resident is seriously ill.

#### Illness Provision

If there is an existing medical emergency in your home and you furnish the utility with a statement signed by either a licensed Wisconsin physician, or a public health official, we will delay disconnection of service up to 21 days. The statement must identify the medical emergency and specify the period of time during which disconnection will aggravate the existing emergency.

#### Deferred Payment Agreements

If, for some reason, you are unable to pay the full amount of the utility service arrears on your bill, you may contact the utility to discuss arrangements to pay the arrears over an extended period of time.

PSCW Authorization by Order No.:	Date Order Issued
5430 <del>-W</del> R-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988

RATE FILE	Section
	Number :
Public Service Commission of Wisconsin	Sheet
	Number :
	Schedule
UTILITY NAME	Number : X-1.14
	Amendment
	Number: 6
SHIOCTON MUNICIPAL UTILITY	
	-
Water Utility Operating Rules (con	tinued)

#### Deferred Payment Agreements (Continued)

This time payment agreement will require:

- 1. Payment of a resonable amount at the time the agreement is made.
- 2. Payment of the remainder of the outstanding balance in monthly installments over a reasonable length of time.
- 3. Payment of all future utility service bills in full by the due date.

In any situation, where you are unable to resolve billing disputes or disputes about the grounds for proposed disconnection through contacts with our utility, you may make an appeal to the Wisconsin Public Service Commission, Madison, Wisconsin.

#### (UTILITY NAME)

In the event the utility is not able to collect any bill for water service even though Deposit and Guarantee Rules are on file, the bill may be put upon the tax roll as provided in Section 66.069, Wisconsin Statutes.

#### Surreptitious Use of Water

When the utility has reasonable evidence that a consumer is obtaining water, in whole or in part, by means of devices or methods used to stop or interfere with the proper metering of the utility service being delivered, the utility reserves the right to estimate and present immediately a bill for service unmetered as a result of such interference and such bill shall be payable subject to a 24-hour disconnection of service. When the utility shall have disconnected the consumer for any such reason, the utility will reconnect the consumer upon the following conditions:

1. The consumer will be required to deposit with the utility, an amount sufficient to guarantee the payment of the consumer's bills for utility service to the utility.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988
	D = 0-1-0-10-00

RATE FILE	Section	
	Number :	
Public Service Commission of Wisconsin	Sheet	
	Number :	
	Schedule	
UTILITY NAME	Number :	X-1.15
	Amendment	
	Number :	6
SHIOCION MUNICIPAL UTILITY		·
Water Utility Operating Rules (continue	ed)	
•		

#### Surreptitious Use of Water (Continued)

- 2. The consumer will be required to pay the utility for any and all damages to its equipment on the consumer's premises due to such stoppage or interference with its metering.
- 3. The consumer must further agree to comply with reasonable requirements to protect the utility against further losses.

Sections 98.26 and 943.20, Wis. Stats., as relating to water service, are hereby adopted and made a part of these rules.

#### Vacation of Premises

When premises are to be vacated, the utility shall be notified, in writing, at once, so that it may remove the meter and shut off the supply at the curb cock. The owner of the premises shall be liable to prosecution for any damage to the property of the water department by reason of failure to notify the utility of vacancy.

#### Repairs to Mains

The utility reserves the right to shut off the water in the mains temporarily, to make repairs, alterations or additions to the plant or system. When the circumstances will permit, the utility will give notification, by newspaper publication or otherwise, of the discontinuance of the supply. No rebate will be allowed to consumers for such temporary suspension of supply.

#### Duty of Utility with Respect to Safety of the Public

It shall be the duty of the utility to see that all open ditches for water mains, hydrants and service pipes are properly guarded to prevent accident to any person or vehicle, and at night, there shall be displayed amber signal light in such manner as will, so far as possible, insure the safety of the public.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988
	DEC 1 0 1300

RATE FILE	Section	
	Number :	
Public Service Commission of Wisconsin	Sheet	
	Number :	
	Schedule	
UTILITY NAME	Number : X-1.16	
	Amendment	
	Number : 6	
SHIOCTON MUNICIPAL UTILITY		
Water Utility Operating Rules (continued)		

# Handling Water Mains and Service Pipes in Sewer or Other Trenches

Where excavating machines are used in digging sewers, all water mains shall be maintained at the expense of the contractor.

Contractors must ascertain for themselves, the existence and location of all service pipes. Where removed, cut or damaged in the construction of a sewer, the contractors must, at their own expense, cause them to be replaced or repaired at once. Contractors must not shut off the water service pipes to any consumer for a period exceeding 6 hours.

# Settling Main or Service Trenches

Trenches in unpaved streets shall be refilled with moist, damp earth, or by means of water tamping. When water tamping is used, the water shall be turned into the trench after the first 12 inches of backfill has been placed and then the trench shall be kept flooded until the remainder of the backfill has been put in.

#### Protective Devices

#### A. Protective Devices in General

The owner or occupant of every premises receiving water supply shall apply and maintain suitable means of protection of the premise supply, and all appliances thereof, against damage arising in any manner from the use of the water supply, variation of water pressure, or any interruption of water supply. Particularly, such owner or occupant must protect water cooled compressors for refrigeration systems by means of high pressure safety cutout devices. There shall likewise be provided, means for the prevention of the transmission of water ram or noise of operation of any valve or appliance through the piping of their own or adjacent premises.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date DEC 1 6 1988
December 20, 1988	DEC 1 0 1888

RATE FILE	Section
Palala de color de color de color de Carlos de	Number:
Public Service Commission of Wisconsin	Sheet Number :
	Schedule
UTILITY NAME	Number : X-1.17
	Amendment
SHIOCTON MUNICIPAL UTILITY	Number : 6
Water Utility Operating Rules (continue	đ)

#### Protective Devices (Continued)

#### B. Relief Valves

On all "closed systems" (i.e., systems having a check valve, pressure regulator, or reducing valve, water filter or softener), an effective pressure relief valve shall be installed either in the top tapping or the upper side tapping of the hot water tank, or on the hot water distributing pipe connection at the tank. No stop valve shall be placed between the hot water tank and the relief valve or on the drain pipe. See applicable plumbing codes.

#### C. Air Chambers

An air chamber or approved shock absorber shall be installed at the terminus of each riser, fixture branch, or hydraulic elevator main for the prevention of undue water hammer. The air chamber shall be sized in conformance with local plumbing codes. Where possible, the air chamber should be provided at its base with a valve and drain cock for water drainage and replenishment of air.

#### Purity of Supply Not to Be Impaired by Cross-Connections

Every person owning or occupying a premise receiving city or village water supply shall maintain such village or city water supply free from any connection, either of a direct or of an indirect nature, with a water supply from a foreign source, or of any manner of connection with any fixture or appliance, whereby water from a foreign supply or the waste from any fixture, appliance, waste or soil pipe may flow, be syphoned or pumped into the piping of the city or village water system.

PSCW Authorization by Order No.:	Date Order Issued
5430-WR-100	11-22-88
Applicable for Service Rendered on and after:	Letter Date
December 20, 1988	DEC 1 6 1988

# Public Service Commission of Wisconsin—Rate File

		Tubile Service Commission of Wiscons	m Rate File
			Sheet No.
	SHI	OCTON WATER AND SEWER UTILITY	Schedule X-2
		Name of Utility	Amendment_3
Water Main Extension Rules			
		er mains will be extended for new custome is:	ers on the following
	Α.	Where the cost of the extension is to be lected through assessment against the all the procedure set forth under section 6 Statutes will apply, and no additional to the utility will be required.	butting property, 6.60 of the Wisconsin

- B. Where the municipality is unwilling or unable to make a special assessment, then extension will be made on a customer-financed basis as follows:
  - 1. The applicant(s) will advance as a contribution in aid of construction the total amount equivalent to that which would have been assessed for all property under (A).
  - 2. Part of the contribution required in (1) will be refundable. When additional customers are connected to the extended main within 20 years of the date of completion, contributions in aid of construction will be collected equal to the amount which would have been assessed under (A) for the abutting property being served. This amount will be refunded to the original contributor(s). In no case will the contributions received from additional customers exceed the proportionate amount which would have been required under (A) nor will it exceed the total assessable cost of the original extension.
- C. When a new customer(s) is connected to an existing main, not financed by customer contributions, it shall not be considered as a main extension and no contribution may be collected from the customer(s). This applies only to main extensions constructed after the effective date of this rule.

Insped	Applicable	to Service	Rendered on and after3/23/77
PSCW Authorisation by Order No5	430-UR-1		_
Letter	APR 1		_

	OL - A NY-	
SHIOCTON WATER AND SEWER UTILITY Name of Utility	Sheet No	X-3
	Amendment	5
Water Main Installations in Platted S	Subdivisions	
Application for installation of water mains in real estate development subdivisions shall be ipal clerk and shall set forth the following:  1. Name of subdivision.  2. Legal description.  3. Map showing streets, lots and sizes of produce of approval of subdivision plan by subevelopment.  5. Date of approval of proposed mains by Deparesources.  6. Number of houses presently under construction of the size deemed necessary in the subsame to the municipal governing body for approas it pertains to public fire-protection services shall be required to advance to the utility, ning of the construction, the total estimated sion. If the final costs exceed estimated cobilling will be made for the balance of the cance is to be paid within 30 days. If final estimated a refund of overpayment will be made ity.  If the developer, or a contractor employed by install the water mains (with approval of the oper shall be responsible for the total cost of the contraction of the contraction of the total cost of the contraction of the parameter of the contraction of the parameter of the contraction of th	regularly prices of the sts, an additionation to the cost of the sts, an additionation to the costs are less by the water the develope utility), the filed with the develope utility), the develope utility the develope utility), the develope utility), the develope utility), the develope utility th	and hy- ent of atural  repare nd hy- d submit extension ents.  vision begin- exten- tional is bal- ss than er util- er, is to ne devel-
Issued Applicable to Service Render	ed on and after	SEP 2 11981
PSCW Authorization by Order No. 5430-UR-2		
Letter <u>SEP 3 0 1981</u>		

	Sheet No	
SHIOCTON WATER AND SEWER UTILITY  Name of Utility	Schedule	Smg-l
Madile of Others	Amendment	5
General Sewer Service - Met	orod	
General Bewel Bervice - Met	er ed	<u> </u>
Available for sewage contributors dischargi sewage up to 250 Mg per liter B.O.D. and su		
Quarterly service charge:		
3/4-inch (water) meter - \$16.10	(water) meter -	\$ 84.00 \$156.00 \$243.00 \$359.00
Plus volume charge:		
For each 1,000 gallons domestic strength se sanitary sewer system - \$4.25 per 1,000 gal		l to the
Billing:		
Bills for sewer service are rendered quarter payable on the first of the month following service is rendered. A late payment charge than 30¢ will be added to bills not paid wis suance. This late payment charge is applicant the utility customer may be given a writter is overdue no sooner than 20 days after the less payment or satisfactory arrangement for the next 8 days, service may be disconnected 185, Wis. Adm. Code.	g the period for e of 3% but not ithin 20 days of cable to all cus notice that the bill is issued or payment is ma	which less is- stomers. he bill and un-
Sued Applicable to Service Re	endered on and after	SEP 2 1198
SCW Authorization by Order No. 5430-UR-2		
Letter SEP 3 0 1981		

	· · · · · · · · · · · · · · · · · · ·	Sheet No	
SHIOCTON WATER AND SEWER U	TILITY	Schedule	Smg-2
Mame of Conf.	, y	Amendment	5
Commercial and Ind	ustrial Sewer Service	- Metered	
When the sewage from any colimitations of 250 Mg/l for sewer bill shall be calcul waste of any contributor esampling shall be taken, to strength of said waste, whereas:	r B.O.D. and for susp ated under schedule S xceeds the above stre he sewage analyzed to	ended solid mg-l. Wher ngths, a pe determine	s, the e the riodic the
Quarterly service charge:	Same as schedule Smg	-1.	
Volume charge: Charge sha	ll be comprised as fo	llows:	
Volume - \$4.25 per 1,000 g	allons		
Bio-chemical Oxygen Demand 250 Mg/l	(B.O.D.) - 46.5¢ per	lb. in exc	ess of
Suspended solids (S.S.) -	38.2¢ per lb. in exce	ss of 250 M	lg/1
Billing: Same as schedule Smg-1.			
Issued	Applicable to Service Rendere	d on and after	SEP 2 11981
	5430-UR-2		
Letter	SEP 3 0 1981		

SHIOCTON WATER AND SEWER Name of Ut		Schedule Sum-1
		Amendment 5
General Se	wer Service - Unmeter	ed
Service shall be billed a rate shall be applied onl commercial customers and per quarter discharge to the utility that the user quarter to the system, an gallons will be made for	y to single-family re approximates the cost the sewer system. If discharges more than additional charge of	sidential and small for 12,000 gallons it is determined by 12,000 gallons per \$4.25 per 1,000
Issued	Applicable to Service Rendere	ed on and after SEP 2 11981
PSCW Authorization by Order No	5430-UR-2	
¥ -44	SEP 3 0 1981	

	Sheet No.		
SHIOCTON WATER AND SEWER UTILITY  Name of Utility	Schedule Sx-1		
	Amendment_3		
SEWER RULES AND REGULATIONS			
All persons now receiving sewer service from the sewer utility or who may hereafter make application be considered as having agreed to be bound by as filed with the Public Service Commission of	ation therefor, shall rules and regulations		
Application for sewer service shall be made in writing on a form furnished by the sewer utility. The application will contain the legal description of the property to be served, name of the owner, the exact use to be made of the service, and the size of the service connection.			
I. Definitions			
A. Approving Authority shall mean the Superintendent of Utilities and Board of Public Works, or other designated official of the Shiocton Sewer Utility, or their duly authorized deputy, agent or representative.			
B. B.O.D. (Biochemical Oxygen Demand) shall mean the quantity of oxygen utilized in the biochemical oxidation of organic matter in five (5) days at 20 degrees centigrade, expressed as milligrams per liter. Quantitative determination of B.O.D. shall be made in accordance with procedures set forth in "Standard Methods."			
C. Combined Sewer shall mean a sewer recrun-off and sewage.	ceiving both surface		
D. Chlorine Requirement shall mean the a in milligrams per liter which must be addeduce a specified residual chlorine in according set forth in "Standard Methods."	ed to sewage to pro-		
E. Garbage shall mean the residue from to cooking and dispensing of food, and the hasale of food products and produce.			
F. Ground Garbage shall mean the residue tion, cooking and dispensing of food that to such degree that all particles will be	has been shredded		

Isrued	Applicable to Service Rendered on and aft	er <u>3/23/77</u>
PSCW Authorisation by Order No	5430-UR-1	
Letter	APR 1 1977	

Suspension under the flow conditions normally prevailing in public sewers with no particle greater than one-half (1/2) inch in any dimension.  G. Industrial Waste shall mean any solid, liquid or gaseous substance discharged, permitted to flow or escaping from any industrial manufacturing process, trade or business, as distant from sanitary sewage.  H. Natural Outlet shall mean any outlet into a water course, pond, ditch, lake or other body of surface water.  I. Parts per Million shall be a weight to weight ratio, the parts per million value multiplied by the factor 8.345 shall be equivalent to pounds per million gallons of water.  J. Sanitary Sewage shall mean a combination of water carried wastes from residences, business buildings, institutions and industrial plants (other than industrial wastes from such plants); together with such ground, surface and storm waters as may be present.  K. Sanitary Sewer shall mean a sewer that conveys sewage or industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and water-carried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and ground water drainage.		Sheet No.
suspension under the flow conditions normally prevailing in public sewers with no particle greater than one-half (1/2) inch in any dimension.  G. Industrial Waste shall mean any solid, liquid or gaseous substance discharged, permitted to flow or escaping from any industrial manufacturing process, trade or business, as distant from sanitary sewage.  H. Natural Outlet shall mean any outlet into a water course, pond, ditch, lake or other body of surface water.  I. Parts per Million shall be a weight to weight ratio, the parts per million value multiplied by the factor 8.345 shall be equivalent to pounds per million gallons of water.  J. Sanitary Sewage shall mean a combination of water carried wastes from residences, business buildings, institutions and industrial plants (other than industrial wastes from such plants); together with such ground, surface and storm waters as may be present.  K. Sanitary Sewer shall mean a sewer that conveys sewage or industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and watercarried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and	SHIOCTON WATER AND SEWER UTILITY	
suspension under the flow conditions normally prevailing in public sewers with no particle greater than one-half (1/2) inch in any dimension.  G. Industrial Waste shall mean any solid, liquid or gaseous substance discharged, permitted to flow or escaping from any industrial manufacturing process, trade or business, as distant from sanitary sewage.  H. Natural Outlet shall mean any outlet into a water course, pond, ditch, lake or other body of surface water.  I. Parts per Million shall be a weight to weight ratio, the parts per million value multiplied by the factor 8.345 shall be equivalent to pounds per million gallons of water.  J. Sanitary Sewage shall mean a combination of water carried wastes from residences, business buildings, institutions and industrial plants (other than industrial wastes from such plants); together with such ground, surface and storm waters as may be present.  K. Sanitary Sewer shall mean a sewer that conveys sewage or industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and water-carried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and		-
public sewers with no particle greater than one-half (1/2) inch in any dimension.  G. Industrial Waste shall mean any solid, liquid or gaseous substance discharged, permitted to flow or escaping from any industrial manufacturing process, trade or business, as distant from sanitary sewage.  H. Natural Outlet shall mean any outlet into a water course, pond, ditch, lake or other body of surface water.  I. Parts per Million shall be a weight to weight ratio, the parts per million value multiplied by the factor 8.345 shall be equivalent to pounds per million gallons of water.  J. Sanitary Sewage shall mean a combination of water carried wastes from residences, business buildings, institutions and industrial plants (other than industrial wastes from such plants); together with such ground, surface and storm waters as may be present.  K. Sanitary Sewer shall mean a sewer that conveys sewage or industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and watercarried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and		Alledigment
public sewers with no particle greater than one-half (1/2) inch in any dimension.  G. Industrial Waste shall mean any solid, liquid or gaseous substance discharged, permitted to flow or escaping from any industrial manufacturing process, trade or business, as distant from sanitary sewage.  H. Natural Outlet shall mean any outlet into a water course, pond, ditch, lake or other body of surface water.  I. Parts per Million shall be a weight to weight ratio, the parts per million value multiplied by the factor 8.345 shall be equivalent to pounds per million gallons of water.  J. Sanitary Sewage shall mean a combination of water carried wastes from residences, business buildings, institutions and industrial plants (other than industrial wastes from such plants); together with such ground, surface and storm waters as may be present.  K. Sanitary Sewer shall mean a sewer that conveys sewage or industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and watercarried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and		
substance discharged, permitted to flow or escaping from any industrial manufacturing process, trade or business, as distant from sanitary sewage.  H. Natural Outlet shall mean any outlet into a water course, pond, ditch, lake or other body of surface water.  I. Parts per Million shall be a weight to weight ratio, the parts per million value multiplied by the factor 8.345 shall be equivalent to pounds per million gallons of water.  J. Sanitary Sewage shall mean a combination of water carried wastes from residences, business buildings, institutions and industrial plants (other than industrial wastes from such plants); together with such ground, surface and storm waters as may be present.  K. Sanitary Sewer shall mean a sewer that conveys sewage or industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and watercarried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and	public sewers with no particle greater tha	
pond, ditch, lake or other body of surface water.  I. Parts per Million shall be a weight to weight ratio, the parts per million value multiplied by the factor 8.345 shall be equivalent to pounds per million gallons of water.  J. Sanitary Sewage shall mean a combination of water carried wastes from residences, business buildings, institutions and industrial plants (other than industrial wastes from such plants); together with such ground, surface and storm waters as may be present.  K. Sanitary Sewer shall mean a sewer that conveys sewage or industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and water-carried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and	substance discharged, permitted to flow or industrial manufacturing process, trade or	escaping from any
parts per million value multiplied by the factor 8.345 shall be equivalent to pounds per million gallons of water.  J. Sanitary Sewage shall mean a combination of water carried wastes from residences, business buildings, institutions and industrial plants (other than industrial wastes from such plants); together with such ground, surface and storm waters as may be present.  K. Sanitary Sewer shall mean a sewer that conveys sewage or industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and water-carried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and		
wastes from residences, business buildings, institutions and industrial plants (other than industrial wastes from such plants); together with such ground, surface and storm waters as may be present.  K. Sanitary Sewer shall mean a sewer that conveys sewage or industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and water-carried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and	parts per million value multiplied by the	factor 8.345 shall
industrial wastes or a combination of both, and into which storm, surface and groundwaters or unpolluted industrial wastes are not intentionally admitted.  L. Sewage shall mean a combination of the liquid and water-carried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and	wastes from residences, business buildings industrial plants (other than industrial w plants); together with such ground, surface	, institutions and astes from such
carried wastes from residences, commercial buildings, industrial plants and institutions, together with any groundwater, surface water and storm water that may be present.  M. Sewage Disposal Works shall mean all facilities for collecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and	industrial wastes or a combination of both storm, surface and groundwaters or unpollu	, and into which
lecting, pumping, treating and disposing of sewage and industrial waste, and it includes sewerage as well as the Wastewater Treatment Plant.  N. Sewer shall mean a pipe or conduit for conveying sewage or any other waste liquids, including storm, surface and	carried wastes from residences, commercial trial plants and institutions, together wi	buildings, indus- th any groundwater,
or any other waste liquids, including storm, surface and	lecting, pumping, treating and disposing of trial waste, and it includes sewerage as well	f sewage and indus-
	 or any other waste liquids, including store	

Issued	Applicabl	e to Service Rendered on and afte	3/23/77
PSCW Authorisation by Order No	5430-UR	-1	
Letter	APR 1	1977	

		Sheet No
	SHIOCTON WATER AND SEWER UTILITY  Name of Utility	Schedule Sx-1.2
	Name of Utalty	Amendment 3
	O. Sewerage shall mean the system of a for the collection, transportation and industrial wastes.	
	P. "Shall" is mandatory; "May" is per	rmissible.
	Q. Slug shall mean any discharge of a waste which in concentration of any give more than five (5) times the average two concentration during normal operation, any volume of liquid waste which exceed for a period of fifteen (15) minutes on hour average discharge.	ven constituent exceed wenty-four (24) hour or the discharge of ds in quantity of flow
	R. Standard Methods shall mean the exical procedures set forth in the most adard Methods for the Examination of Wattrial Wastes," published by the America ation, the Americal Water Works Association of Sewage and Industrial Wastes Association of Sewage and Industrial Wastes Association	recent edition of "Sta er, Sewage and Indus- an Public Health Assoc ation and the Federa-
	S. Storm Sewer shall mean a sewer that face and ground water drainage but excitrial wastes.	•
	T. Suspended Solids shall mean solids the surface of, or are in suspension in dustrial waste, and which are removable tration device. Quantitative determinates solids shall be made in accordance with in "Standard Methods."	n, water, sewage, or i e by a laboratory fil- ation of suspended
	U. Wastewater shall be synonymous with	ch sewage.
	V. Wastewater Treatment Plant shall redevices, structures and equipment for dustrial waste.	
ı.	Use of the Public Sewers	
	A. Sanitary Sewers. No person shall	cause to be discharge
ed _	Applicable to Service Rend	lered on and after 3/23/7

APR 1

Letter \_\_\_

1977

	Sheet No.
SHIOCTON WATER AND SEWER UTILITY	Schedule Sx-1.3
Name of Utility	Amendment 3
	Amendment
any storm water, surface drainage, subsurf water, roof runoff, cooling water or unpol sanitary sewer.	
B. Prohibitions and Limitations. Except vided, no person shall discharge or cause of the following described waters or waste sewer.	to be discharged any
<ol> <li>Any gasoline, benzine, naptha, f flammable or explosive liquid, solid</li> </ol>	
2. Any waters or wastes containing solids, liquids or gases in sufficient singly or by interaction with other was interfere with any sewage treatment part a hazard to humans or animals or creat the receiving waters of the Wastewater	t quantity, either vastes, to injure or or or occess, constitute attention to the occess.
3. Any waters or wastes having a pH having any other corrosive property of damage or hazard to structures, equip of the Wastewater Treatment Plant.	apable of causing
4. Any waters or wastes having a pH	in excess of 9.0.
5. Solid or viscous substances in g such size capable of causing obstruct sewers, or other interference with the of the sewage works such as, but not cinders, sand, mud, straw, shavings, feathers, tar, plastics, wood, ungroup blood, paunch manure, hair and fleshif paper dishes, cups, milk containers, or ground by garbage grinders.	ion to the flow in the proper operations limited to, ashes, metal, glass, rags, and garbage, whole angs, entrails, and
6. No persons shall discharge or ca the following described substances, m wastes if it appears likely in the op ing Authority that such wastes can ha sewage treatment plant or equipment,	aterials, waters or inion of the Approv- irm either the sewers,

Issued	Applicable 1	to Service Rendered on and after	3/23/77
PSCW Authorization by Order No	5430-UR-1		
Letter	APR 1	1977	

		Sheet No.
SHIOCTON	WATER AND SEWER UTILITY	Schedule Sx-1.4
	Name of Utility	Amendment 3
		Amendment
life ing wast to t cess	on the receiving stream, or , limb, property or constitutheir opinion as to the accees, the Approving Authority he sewers, nature of the was, capacity of the Wastewater pertinent factors. The su	ate a nuisance. In form- eptability of these will give consideration stewater treatment pro- r Treatment Plant, and
	a. Any liquid or vapor ha than 150 degrees Fahrenheit	aving a temperature higher
	b. Any water or waste congrease, or oils, whether emcess of 100 mg/l or contain solidify or become viscous 32 and 150 degrees.	nulsified or not, in ex- ning substances which may
	c. Any commercial garbage perly shredded. The instal any commercial grinder equi horsepower or greater shall view and approval of the Ap	ipped with a motor of one be subject to the re-
	d. Any waters or wastes of zinc, and similar objection or wastes exerting an excessment, to such a degree that charged in the composite se established by the Approvinterials.	ssive chlorine require- any such material dis- wage to the sewer limits
	e. Any waters or wastes d containing over 0.1 mg/l he 24 hours composite.	discharged to the sewer exavalent chromium per
	f. Any waters or wastes of other taste or odor product concentrations exceeding lilished by the Approving Autter treatment of the compose requirements of the State,	ng substances in such mits which may be estab- chority as necessary af- site sewage, to meet the

Issued	Applicable to Service Rendered on and after	3/23/77
PSCW Authorisation by Order No		
Letter	APR 1 1977	

	Sheet No.
SHIOCTON WATER AND SEWER UTILITY	Schedule Sx-1.5
Name of Utility	Amendment 3
	Amendment
agencies of jurisdiction for sucreceiving waters.	h discharge to the
g. Any radioactive wastes or i half-life or concentration as ma- tablished by the Approving Autho- with State or Federal Regulation	y exceed limits es- rity in compliance
h. Materials which exert or ca	use:
(1) Unusual BOD, chemical chlorine requirements in suctoo constitute a significant water Treatment Plant.	ch quantities as
(2) Unusual volume of flow of wastes constituting "slucherein.	
(3) Unusual concentrations solids (such as, but not line earth, lime slurries, and line dissolved solids (such as, sodium sulfate).	mited to, fuller's ime residues) or of
(4) Excessive discoloration limited to dye wastes and vescolutions).	
(5) Waters or wastes contain which are not amenable to the tion by the wastewater treation by the wastewater treation of the consintal protection of the consistency of the consi	reatment or reductment processes emtreatment only to ater treatment plant quirements of the rces, Division of
C. Special Arrangements. No statement construed as prohibiting ament between the Approving Authority and an	any special agree-

Lasued	Applica	ble to Service	Rendered on and after	r <u>3/23/77</u>
PSCW Authorisation by Order No	5430-UI	R-1	_	
•	APR 1	1977	•	
			•	

		Sheet No.
	SHIOCTON WATER AND SEWER UTILITY	Schedule Sx-1.6
	Name of Utility	Amendment 3
	an industrial waste of unusual strength or admitted to the sewage disposal works, eit pre-treatment, provided that there is no if functioning of the sewage disposal works be mission of such wastes, and no extra costs the Utilities without recompense by the permitted in the sewage disposal works be mission of such wastes, and no extra costs the Utilities without recompense by the permitted in the sewage disposal works be mission of such wastes, and no extra costs the Utilities without recompense by the permitted in the sewage disposal works, either the sewage disposal works by the sewage dispos	ther before or after mpairment of the by reason of the ad-
III.	Control of Industrial Wastes Directed to P	ublic Sewers
	A. Industrial Discharges. If any waters charged, or proposed to be discharged to the which waters or wastes contain substances characteristics enumerated in Paragrpah II the judgement of the Approving Authority, ious effect upon the sewage works, process receiving waters, or which otherwise creat health, or constitute a public nuisance, the ity may:	the public sewers, or possess the , B, and which in may have deleteres, equipment, or the a hazard to life,
	1. Reject the wastes.	
	<ol> <li>Require pretreatment to an acception discharge to the public sewers.</li> </ol>	table condition for
	<ol> <li>Require control over the quantit discharge.</li> </ol>	ies and rates of
	B. Control Manholes. Each person dischar wastes into a public sewer shall construct or more control manholes or access points servation, measurement and sampling of his domestic sewage.	and maintain one to facilitate ob-
	Control manholes or access facilities shall built in a manner acceptable to the Approv measuring devices are to be permanently in be of a type acceptable to the Approving A	ing Authority. If stalled they shall
	Control manholes, access facilities and re	lated equipment

Issued	Applicable to Service Rendered	on and after3/23/77
PSCW Authorisation by Order No	5430-UR-1	
Letter _	APR 1 1977	

shall be installed by the person discharging the waste, at his expenses and shall be maintained by him so as to be in

	Sheet No.
SHIOCTON WATER AND SEWER UTILITY  Name of Utility	Schedule Sx-1.7
	Amendment3
safe condition, accessible and in practical at all times. Plans for installation or access facilities and related equiple the Approving Authority prior to tion.	on of the control manho sipment shall be approv
C. Measurement of Flow. The voluming industrial waste collection and be the metered water consumption of the records of meter reading maintaiter Department.	treatment charges shall the person as shown in
D. Metering of Waste. Devices for waste discharged may be required by if this volume cannot otherwise be detered water consumption records. Memining the volume of waste shall be maintained by the person. Following tion such meters may not be removed the Approving Authority.	the Approving Authority determined from the metering devices for detering tinstalled, owned, and approval and installations.
E. Provision for Deductions. In the discharging industrial waste into the evidence satisfactory to the Approviation 10 percent of the total annual all purposes does not reach the publimination of the water consumption to waste volume discharged into the publimatter of agreement between the Appriperson.	ne public sewers produce ing Authority that more volume of water used for ic sewer, then the deta be used in computing plic sewer may be made
F. Waste Sampling. Industrial was public sewers shall be subject to pedetermination of character and concern the determinations shall be made by may be deemed necessary by the Appropriate the second concerns.	riodic inspection and entration of said wastes the Industry as often
Samples shall be collected in such a sentative of the composition of the may be accomplished either manually	wastes. The sampling

	Applicable to Service Rendered on and after $\frac{3/23/77}{}$
PSCW Authorisation by Order No	5430-UR-1
_	APR 1 1977
Letter	

	Sheet No.	
SHIOCTON WATER AND SEWER UTILITY	Schedule .	Sx-1.8
Name of Utility	Amendme	mt · 3
	Amendme	
Installation, operation and maintenance of ities shall be the responsibility of the particle the waste and shall be subject to the appring Authority or its duly authorized repretimes. Every care shall be exercised in the samples to insure their preservation in a that at the time the sample was taken.	erson di oval of sentativ he colle	scharging the Approv- es at all ection of
G. Pretreatment. Where required, in the proving Authority, to modify or eliminate harmful to the structures, processes or opsewage disposal works the person shall prosuch preliminary treatment or processing for determined required to render his wastes assion to the public sewers.	wastes to eration vide at acilitie	hat are of the his expense s as may be
H. Grease and/or Sand Interceptors. Greinterceptors shall be provided when, in the Approving Authority they are necessary for of liquid wastes containing grease in exceany flammable wastes, and/or other harmful that such interceptors shall not be requiring quarters or dwelling units. All interacting a type readily accessible for cleaning and	the opinion the properties among the contract of the contract	n of the per handling ounts or ents; except rivate liv-shall be of
I. Analyses. Laboratory procedures used of industrial wastes shall be those set for Methods." However, alternate methods for industrial wastes may be used subject to method tween the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and the personal subject to method the Approving Authority and Auth	rth in " certain utual ag	Standard analyses of
Determination of the character and concent trial wastes shall be made by the person of his agent, as designated and required by t ity. The utilities may also make its own wastes and these determinations shall be b for charges.	ischargi he Appro analyses	ng them or ving Author- on the
J. Submission of Information. Plans, sp any other pertinent information relating t inary treatment of processing facilities s	o propos	ed prelim-

Issued	Applicable	to Service Rendered on and after 3/23/77
PSCW Authorisation by Order No	5430-UR-1	
Letter	APR 1	1977

		G1 4 N
	SHIOCTON WATER AND SEWER UTILITY	Schedule Sx-1.9
	Name of Utility	Amendment 3
		Americanent
	for review of the Approving Authority price their construction if the effluent from su to be discharged into the public sewers.	or to the start of ach facilities is
IV.	Classes of Service	
	A. General Service. Normal or domestic fined as having organic concentrations of demand (BOD) and suspended solids (SS) no milligrams per liter (mg/l) respectively.	biochemical oxygen
	B. High Strength. All establishments di into the public sanitary sewer system shal cordance with the High Strength Service Ch waters have organic loadings greater than concentrations as defined above. The volucomputing the wastewater surcharge shall be sumption as shown in records maintained by subject to adjustment as otherwise herein actual volume of wastewater as determined installation.	arge if their waste- that of the domestic me of flow used for the Water Utility provided, or the
V.	Right of Entry Safety and Identification	
	Right of Entry. Superintendent of Utilitia authorized employee of the municipality or proper credentials and identification shall enter all properties for the purpose of intion, testing, all in accordance with the rules and regulations and Section 196.171, The Superintendent of Utilities or other deployee of the municipality and/or Utilities thority to inquire into any process beyond a direct bearing on the kind and source of sewers or waterways or facilities for wast	Utilities bearing l be permitted to spection, observa- provisions of these Wisconsin Statutes. uly authorized em- es shall have no au- that point having discharge to the
VI.	Sewer Construction	
	A. Work Authorized. No unauthorized per make any connections with or opening into, turb any public sewer or appurtenance ther	use, alter or dis-

Launed	Applicable to Service Rendered on and af	ter <u>3/23/77</u>
PSCW Authorization by Order No	5430-UR-1	
Letter	APR 1 1977	

·	
	Sheet No.
SHIOCTON WATER AND SEWER UTILITY	Schedule Sx-1.10
Name of Utility	2
	Amendment 3
obtaining a written permit from the Appro-	ving Authority.
B. Cost of Sewer Connection. All costs a dent to the installation and connection of shall be borne by the Owner.	
C. Use of Old Building Sewers. Old build used in connection with new buildings only on examination and test by the Approving meet all requirements of this ordinance.	y when they are found,
D. Materials and Methods of Construction alignment, materials of construction of a the methods to be used in excavating, place jointing, testing, and backfilling the treform to the requirements of the building other applicable rules and regulations of In the absence of code provisions or in at the materials and procedures set forth in cations of the A.S.T.M. and W.P.C.F. Manual Shall apply.	building sewer, and cing of the pipe, ench, shall all conand plumbing code or the municipality.  mplification thereof, appropriate specifi-
E. Building Sewer Grade. Whenever possisewer shall be brought to the building at the basement floor. In all buildings in a drain is too low to permit gravity flow to sanitary sewage carried by such building by an approved means and discharged to the	an elevation below which any building o the public sewer, drain shall be lifted
F. Storm and Ground Water Drains. No penection of roof downspouts, exterior found way drains, or other sources of surface ruto a building sewer or building drain which rectly or indirectly to a public sanitary	dation drains, area- unoff or groundwater ch is connected di-
G. Conformance to Plumbing Codes. The obuilding sewer into the public sewer shall quirements of the building and plumbing coable rules and regulations of the municipal dures set forth in appropriate specifications.	l conform to the re- ode or other applic- ality, or the proce-

Issued	Applicable (	to Service Rendered on and after	3/23/77
PSCW Authorization by Order No	5430-UR-	1	
Letter	APR 1	1977	

	Sheet No.
SHIOCTON WATER AND SEWER UTILITY Name of Utility	Schedule Sx-1.11
Name of Consty	Amendment 3
and the W.P.C.F. Manual of Practice No. tions shall be made gastight and water from the prescribed procedures and mate by the Approving Authority before instal	tight. Any deviation rials must be approved
H. Inspection of Connection. The appling sewer permit shall notify the Approximate building sewer is ready for inspection the public sewer. The connection shall supervision of the Approving Authority.	ving Authority when ion and connection to
I. Barricades: Restoration. All excepting sewer installation shall be adequated cades and lights so as to protect the postreets, sidewalks, parkways and other participation to the work shall be ner satisfactory to the municipality.	ely guarded with barra- ublic from hazard. public property dis-
VII. Violations and Penalties	
A. Written Notice of Violation. Any plating any provision of these rules and served by the Approving Authority with a ing the nature of the violation and provime for the satisfactory correction the shall, within the period of time stated anently cease all violations.	regulations shall be a written notice stat- viding a reasonable ereof. The offender
B. Accidental Discharge. Any person of for accidentally allowing a deletarious sewer which causes damage to the treatmenting body of water and/or downstream water a forfeiture, pay the amount to cover to be established by the Approving Authority	discharge into the ent facilities, receivers shall, in addition damages, both values
VIII. Credit for Water Not Discharged to Sewer	r
If a portion of the water furnished to a discharged into the sewer system, the que will be deducted in computing the charge provided a meter has been installed to meter h	uantity of such water e for sewer service
SCW Authorisation by Order No. 5430-UR-1  APR 1 1977	red on and after3/23/77

Letter\_

,	Sheet No	
SHIOCTON WATER AND SEWER UTILITY Name of Utility	Schedule	Sx-1.12
Name of Utility	Amendment_	3
	7111001001001	
The customer must at his own expense main the water piping and install coupling be set. A charge of 75 cents a quartement each such meter up to a 1-inch meter.	ngs so that a	meter can
		•
•		
		······································
d Applicable to Service Rend	lered on and after	3/23/77
V Authorization by Order No. 5430-UR-1		
APR 1 1977		

		Sheet No	
SHIC	OCTON WATER AND SEWER UTILITY	Schedule	Sx-2
	Name of Utility	Amendment	5
	· ·		
	Sewer Main Extension Rule		
Sewe	er mains will be extended for new customers	on the follo	owing
Α.	Where the cost of the extension is to immediately assessment by the municipality agaproperty, the procedure set forth under s. Wisconsin Statutes will apply, and no additional contribution to the utility will be required.	inst the abu 66.60 of the tional custon	tting e
в.	Where the municipality is unwilling or unabassessment, the extension will be made on basis as follows:		
	<ol> <li>The applicant(s) will advance as a cor- construction the total amount equivalent have been assessed for all property un</li> </ol>	ent to that w	
	2. Part of the contribution required in When additional customers are connected within 20 years of the date of complete aid of construction will be collected which would have been assessed under opposerty being served. This amount wis original contributor(s). In no case we received from additional customers excamount which would have been required exceed the total assessable cost of the	ed to the extrino, a contrection, a contrection, a contrection, a contrection, and the contrection of the contrection of the contraction of the co	ended main ibution in amount butting ed to the ributions ortionate or will it
С.	When a new customer(s) is connected to an financed by customer contributions, it sha as a main extension and no contribution mathe customer(s). This provision applies that the effective date of this rule.	all not be co ay be collect	nsidered ed from
Y			SEP 2 11081
Issued		ered on and after	<u> </u>
PSCW	Authorization by Order No. 5430-UR-2		
	LetterSEP_3 0 1981		

	Sheet No	
SHIOCTON WATER AND SEWER UTILITY	Sneet No	Sx-3
SHIOCTON WATER AND SEWER UTILITY Name of Utility	Amendment	5
	Autonamons	
Subdivision Sewer Main Extensi	on Rule	
Application for installation of sewer mains real estate development subdivisions shall ipal clerk and shall set forth the following the set of the following street and sizes of drants, and street laterals.  1. Name of approval of subdivision plan by Development.  2. Legal description.  3. Map showing streets, lots and sizes of drants, and street laterals.  4. Date of approval of subdivision plan by Development.  5. Date of approval of proposed mains by Development.  6. Number of houses presently under construction receipt of the application, the sewer detailed estimates of the cost of extending deemed necessary in the subdivision and subipal governing body for approval of the ext for sewer service to be supplied to a subdito advance to the utility, prior to the begation, the total estimated cost of the extenexceed estimated costs, an additional billibalance of the cost due, with the balance tiffinal costs are less than estimated, a reacced by the utility. If the developer, by the developer, is to install the sewer mof the utility), the developer shall be rescost of construction.	proposed mains  proposed mains  Department of  epartment of Na  uction.  utility will proposed mains or  mit same to the  ension. The appropriate of the  sion. If the  inning of the contractor  or a contractor  ains (with the	and hy- atural  repare f the size e munic- oplicant e required construc- final costs e for the in 30 days. ayment will r employed approval
Issued Applicable to Service Re	endered on and after _	SEP 2 11981
PSCW Authorization by Order No. 5430-UR-2		
LetterSFP_3 0 1981		